



TIMKEN BEARINGS(UK)LTD.



240/530CAME4 Bearing 2D drawings and 3D CAD models

530 x 30.709 Inch | 780 Millimeter x 9.843 Inch |
250 Millimeter NSK 240/530CAME4 Spherical
Roller Bearings

Bearing No. 240/530CAME4

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	400
EAN	0029176091124
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Inch - Metric	Metric
Long Description	530MM Straight Bore; 780MM Outside Diameter; 250MM Width; C0-Medium Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable
Category	Spherical Roller Bearing



TIMKEN BEARINGS(UK)LTD.

UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	240/530CAME4
Weight / LBS	400
Adapter Part Number	Not Applicable Inch Not Applicable Millimeter
B	9.843 Inch 250 Millimeter
D	30.709 Inch 780 Millimeter
d	20.866 Inch 530 Millimeter
Y3	2.2
hidYobi	240/530CAME4
LangID	1
Y1	2.2
D_	780
Y2	3.3
Macha rpm	0
C	5400
B_	250
da min	558
hidTable	ecat_NSSPHR
Oil rpm	360
da max	0
Y0	2.2
mass	390
GRS rpm	280
ra	5
TSR rpm	360
C0	11800
DE_	715.345



TIMKEN BEARINGS(UK)LTD.

X0	1
Prod_Type3	SRB_CTB_CB
X1	1
d	530
X2	0.67
SIR	96
e	0.31
DA_	62.5
bomp	240/530CAME4
Z_	26
ALP2	30
ALP1	11
ALP3	0
D_a max	752
D_a min	690
yobi	240/530CAME4
ALPHA_	0.201
SDM_	654.1
r	6
SBRG	40
DI_	592.854