



TIMKEN BEARINGS(UK)LTD.

NTN C-UCFC207D1-C Flange Block Bearings



Bearing No. C-UCFC207D1-C

C-UCFC207D1-C Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	1.668
EAN	4547359036862
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	12 Millimeter
Relubricatable	Yes
Insert Part Number	UC207D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch - Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 35MM Bore; 110MM Bolt Circle; 77.8MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 42.9MM Length Thru Bore; Relubricatable;



TIMKEN BEARINGS(UK)LTD.

	Single Lip Land Ridi
Other Features	Single Row Light Duty Wide Inner Race Open End Spigot Joint Has Flinger
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	C-UCFC207D1-C
Weight / LBS	4.2
Cartridge Pilot Diameter	3.543 Inch 90 Millimeter
Cartridge Pilot Depth	0.315 Inch 8 Millimeter
D	1.689 Inch 42.9 Millimeter
d	1.378 Inch 35 Millimeter
Bolt Spacing	3.063 Inch 77.8 Millimeter
Nominal Bolt Circle Diameter Round	4.3 Inch 110 Millimeter
bore diameter:	35 mm
end type:	Open
bolt circle diameter:	4.3281 in
length through bore:	1-3/4 in
overall length/diameter:	5.3125 in
finish/coating:	Uncoated
bore type:	Round
lubrication type:	Lubrication Fitting
mounting type:	Four-Bolt Piloted
series:	UCFC
housing material:	Cast Iron
standards met:	JIS
locking device:	Set Screw



TIMKEN BEARINGS(UK)LTD.

replacement bearing:	UC207D1
expansion type:	Non-Expansion Bearing (Fixed)