



# TIMKEN BEARINGS(UK)LTD.



3306 A/C3W64H Bearing 2D drawings and 3D CAD models

1.181 Inch | 30 Millimeter x 2.835 Inch | 72 Millimeter x 1.189 Inch | 30.2 Millimeter SKF 3306 A/C3W64H Angular Contact Ball Bearings

Bearing No. 3306 A/C3W64H

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.56
EAN	7316574738557
Product Group	B00152
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C3-Loose
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	30MM Bore; 72MM Outside Diameter; 30.2MM Width; Open; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot;



## TIMKEN BEARINGS(UK)LTD.

	No Snap Ring; C3-Loose; Steel Cage; 30 Degree; 1 (Single)
Other Features	W64H-Low Speed Synthetic Grease
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	3306 A/C3W64H
Weight / LBS	1.2041
B	1.189 Inch   30.2 Millimeter
d	1.181 Inch   30 Millimeter
D	2.835 Inch   72 Millimeter
bore diameter:	25 mm
snap ring included:	Without Snap Ring
outside diameter:	62 mm
bearing material:	Chrome Steel
overall width:	1.0000 in
radial dynamic load capacity:	7194 lbf
contact angle:	30 °
radial static load capacity:	4586 lbf
row type & fill slot:	Double-Row Non-Fill Slot
operating temperature range:	0 ° F to 185 ° F
internal clearance:	C3
cage material:	Steel
bore type:	Round
finish/coating:	Uncoated
closure type:	Open



## TIMKEN BEARINGS(UK)LTD.

application:	Metal manufacturing, Paper mills, Steel mills – plate, slab, strip, blast furnace, Overhead cranes, Food and beverage, Rock and stone conveyors, Shipyards Metal manufacturing Pap
--------------	--